



Accuton AS190-9-251 Woofer 8" Transducer Model

Sound Pressure Level at 1m, 2.83Vrms on Infinite Baffle



Impedance at 2.83Vrms on Infinite baffle



Leap Transducer Model

Transducer Parameters

Name	Levc Motor	Model	Shape	Fmd	KA	Flp	KA	Mms	Kg	Qms				
Spec Based PVCL_Accuton AS190-9-251		TSL	Round	2.000		3.200		48.0000m		4.9979				
Note	SPL Mech	Domain	Profile	Qmd	Qlp			Cms	M/N	Qes				
	InfBaf	Flat		0.707	20.000			346.9523u		0.5723				
Znom	Xgap	M	Krm	H	Krs	N-S/M	Kcs	M/N	Vas	Ltr	Qts			
8.000	10.000m		15.00000m	40.00000m	96.05800		20.20000u		20.2205		0.5135			
Revc	Xcoil	M	Frm	Hz	Fxm	Hz	Xrs	M	Xcs	M	Rms	N-S/M	Levc	H
9.000	28.000m		20.24450K	3.29030K	980.43200u		979.19300u				2.3534		1.573m	
Sd	Xmax	M	Drm	Dxm	Drs	Dcs	Ers	Ecs	Fo	Hz	SPLo	dB		
202.000	9.000m		1.19240	0.41959	0.35478		0.47755		39.0000		85.049			
Mind	Xfmg	M	Erm	Exm	Ers	Ecs	Grs	Gcs	BL	T-M	No	%		
44.700m	238.552m		0.58000	0.63000	0.48400		-0.27600		13.6008		0.2009			
Pmax	Watt	Efmg	Vrm	Vxm	Grs	Gcs	Trs	Δ°C	Vs	V	Ta	°C		
250.000	7.65700		0.00641	0.01305	0.66100		1.08300		2.8294	1W	25.00			
Rtvc	C/W	BLo	T-M	Trm	Δ°C	Txm	Δ°C							
1.000	13.6008		2.382m	1.563m	-15.595m		2.568m							

Buttons: Copy as Text, Copy as Binary, Paste From Text, Paste From Binary, Check Params, Auto Check, Show Graph, Ok, Cancel, Help