



Acoustic Elegance TD6M Midrange 6.5" Transducer Model

Sound Pressure Level at 1m, 2.83Vrms on Infinite Baffle



Impedance at 2.83Vrms on Infinite baffle



Leap Transducer Model

Transducer Parameters

Name: Spec based PVCL_AE TD6M	Model: TSL	Shape: Round	Fmd: 100.000	KA: 100.000	Fip: 100.000	KA: 100.000	Mms: 11.0000m	Kg: 3.9700	Qms: 3.9700
Note: SPL Mech	Domain: InfBaf	Profile: Cone	Qmd: 1.000	Qlp: 8.000			Cms: 398.6763u	M/N: 0.2898	Qes: 0.2898
Znom: 8.000	Xgap: 3.000m	Krm: 5.00000m	Kxm: 13.00000m	Krs: 910.19054m	Kcs: 1.91000m		Vas: 3.1843	Ltr: 0.2701	Qts: 0.2701
Revc: 6.200	Xcoil: 10.000m	Frm: 1.00000K	Fxm: 1.00000	Xrs: 10.00000m	Xcs: 10.00000m		Rms: 1.3231	N-S/M: 608.948u	Levc: 608.948u
Sd: 127.000	Xmax: 3.500m	Drm: 0.65000	Dxm: 0.65000	Drs: 0.00000	Dcs: 0.00000		Fo: 76.0000	Hz: 93.269	SPLo: 93.269
Mmd: 9.355m	Xfrg: 1.000m	Erms: 0.60000	Exms: 0.65000	Ers: 0.00000	Ecs: 0.00000		BL: 10.6008	T-M: 1.3338	No: 1.3338
Pmax: 100.000	Efrg: 1.00000	Vrms: 0.00000	Vxms: 0.00000	Grs: 0.80000	Gcs: 0.80000		Vs: 2.8284	V: 1W	Ta: 25.00
Rtvc: 2.500	BLo: 10.6008	Tm: 0.000	Txm: 0.000	Trs: 0.000	Tcs: 0.000				

Buttons: Copy as Text, Copy as Binary, Paste From Text, Paste From Binary, Check Params, Auto Check, Show Graph, Ok, Cancel, Help