



Bliesma T34 B-4 Tweeter 1.4" Transducer Model

Sound Pressure Level at 1m, 2.83Vrms on Infinite Baffle



Impedance at 2.83Vrms on Infinite baffle



Leap Transducer Model

Transducer Parameters

Name: Spec based PVCL_Bliesma T34B-4	Levc Motor: TSL	Model: Round	Shape: Round	Fmd: 20.000	KA: 20.000	Flp: 20.000	KA: 20.000	Mms: 420.0000u	Kg: 2.3363	Qms: 2.3363
Note: SPL Mech	SPL Mech: In/Baf	Domain: In/Baf	Profile: Dome	Qmd: 4.000	Qlp: 4.000			Cms: 96.6355u	M/N: 0.4200	Qes: 0.4200
Znom: 4.000	Xgap: 4.500m	M: 1.500m	Krm: 250.00000u	Kxm: 500.00000u	H: 3.29030K	Krs: 96.05800	Kcs: 20.20000u	Vas: 15.2172m	Ltr: 0.3560	Qts: 0.3560
Revc: 3.300	Xcoil: 1.500m	Frm: 20.24450K	Fxm: 3.29030K	Xts: 980.43200u	Xcs: 979.19300u	Drs: 0.35478	Dcs: 0.47755	Rms: 892.1817m	N-S/M: 23.421u	Levc: 94.355
Sd: 10.500	Xmax: -1.500m	Dim: 1.19240	Dxm: 0.41959	Drs: 0.35478	Dcs: 0.47755	Ers: 0.48400	Ecs: -0.27600	Fo: 790.0000	Hz: 94.355	SPLo: 94.355
Mmd: 380.894u	Xfmg: -238.952m	Erm: 0.00641	Exm: 0.01305	Ers: 0.48400	Ecs: -0.27600	Grs: 0.66100	Gcs: 1.08300	BL: 4.0473	T-M: 1.7126	%: 1.7126
Pmax: 41.667	Walt: 7.65700	Vrm: 0.00641	Vxm: 0.01305	Grs: 0.66100	Gcs: 1.08300	Trs: -15.535m	Tcs: 2.568m	Vs: 2.0000	V: 1u	Ta: 25.00
Rtvc: 6.000	BLo: 4.0473	Trm: 2.382m	Txm: 1.563m	Trs: -15.535m	Tcs: 2.568m					

Buttons: Copy as Text, Copy as Binary, Paste From Text, Paste From Binary, Check Params, Auto Check, Show Graph, Ok, Cancel, Help