



Scanspeak D3004-664000 Tweeter 1.2" Transducer Model

Sound Pressure Level at 1m, 2.83Vrms on Infinite Baffle



Impedance at 2.83Vrms on Infinite baffle



Leap Transducer Model

Transducer Parameters

Name: Clio T PVCL_Scan Be D3004-664000	Levo Motor: TSL	Model: TSL	Shape: Round	Fmd: 1.000	KA: 2.820	Flp: KA	Mms: 350.0000u	Kg: 3.7816	Qms: 0.7895
Note: SPL Mech	Domain: InfBaf	Profile: Dome	Qmd: 0.800	Qlp: 0.500	Cms: 262.5756m	Qes: 0.9977	Vas: 18.3768m	Ltr: 0.7895	Qts: 0.7895
Znom: 4.000	Xgap: 2.500m	Krm: 200.00000u	Ksm: 100.00000u	Krs: 96.05800	Kcs: 20.20000u	Rms: 305.2937m	Levc: 4.684	Fo: 524.9995	SPLo: 86.092
Revc: 2.800	Xcoil: 2.100m	Frm: 20.24450K	Fxm: 3.29030K	Xrs: 980.43200u	Xcs: 979.19300u	BL: 1.8000	No: 0.2555	Vs: 2.0000	Ta: 25.00
Sd: 7.000	Xmax: 200.000u	Drn: 1.19240	Dxm: 0.41959	Drp: 0.35478	Dcs: 0.47755	Trs: -15.595m	Tcs: 2.568m	Grp: 0.66100	Gcs: 1.08300
Mmd: 328.714u	Xrig: 238.552m	Ern: 0.65000	Exm: 0.65000	Ers: 0.48400	Ecs: 0.27600	Trs: -15.595m	Tcs: 2.568m	Grp: 0.66100	Gcs: 1.08300
Pmax: 150.000	Efrg: 7.65700	Vrm: 0.00641	Vxm: 0.01305	Grp: 0.66100	Gcs: 1.08300	Trs: -15.595m	Tcs: 2.568m	Grp: 0.66100	Gcs: 1.08300
Rtvc: 1.667	BLo: 1.8000	Trm: 2.382m	Txm: 1.563m	Trs: -15.595m	Tcs: 2.568m	Trs: -15.595m	Tcs: 2.568m	Trs: -15.595m	Tcs: 2.568m

Buttons: Copy as Text, Copy as Binary, Paste From Text, Paste From Binary, Check Params, Auto Check, Show Graph, Ok, Cancel, Help